

Estimated Financial Performance of Exotic and Indigenous Tree Species in Smallholder Plantations in Leyte Province

Steve R. Harrison¹, Tyron J. Venn², Renezita Sales³, Edwin. O. Mangaoang³ and John F. Herbohn⁴

¹ *School of Economics, The University of Queensland, Qld 4072, Australia*

² *Risk and Sustainable Management Group, School of Economics, The University of Queensland, Brisbane, Qld 4072, Australia*

³ *College of Forestry and Natural Resources, Leyte State University, Visca, Leyte, the Philippines*

⁴ *School of Natural and Rural Systems Management, The University of Queensland, Gatton, Qld 4343, Australia*

ABSTRACT

This paper examines the need for estimates of financial performance of individual tree species for promoting smallholder forestry on Leyte Island in the Philippines, and presents some initial estimates of net present value and internal rate of return for smallholder plantings of indigenous and traditionally grown (exotic) tree species. Levels of profitability are found to be marginal for commercial production, particularly for native species. Data deficiencies are noted, and improved estimates of tree growth rates and rotation lengths in particular are needed to improve predictions of financial performance of smallholder forestry.

Keywords: Leyte smallholders, indigenous species, net present value

INTRODUCTION

Globally, there has in recent years been particular interest in smallholder forestry, and in the growing of indigenous species, in both developed and developing countries. In the past, indigenous species were available from native (natural) forests, but large areas have been converted to non-forest or conservation forest land uses, making them unavailable to timber industries. While some indigenous species have been recognized to have outstanding timber qualities, in general little information is available about their growth performance in smallholder plantations. Further, the established supply chain and generally more rapid growth rates of exotic species have led to them being favoured for plantation use.

In the Philippines, there has been a policy shift from industrial to smallholder and community forestry, as a more socially acceptable form of timber production (Harrison

and Herbohn, 2003). Survey information indicates strong interest in growing native species (Emtage, 2004). *Gmelina arborea* (gmelina), *Swietenia macrophylla* (mahogany) and *Acacia mangium* (mangium) are exotic species widely grown on *tree farms*¹. The only native species grown to any extent is *Eucalyptus deglupta* (bagras), as a lumber and pole species². Some of the more promising indigenous species have been identified in Mangaoang (1998), Patindol (1998) and Mangaoang and Pasa (2003). Also, a number of indigenous species which smallholders would like to grow because of their premium wood quality have been identified by Gregorio *et al.* (2005a), and include *Pterocarpus indicus* (narra), *Shorea contorta* (lauan), *Vitex parviflora* (molave) and *Melia dubea* (bagalunga).

This paper presents financial analyses of a number of exotic and indigenous tree species on smallholder tree farms. Reasons for the interest in these estimates are reported, and arguments for growing native species advanced. Physical and financial parameter data are then presented for selected species. Next, the method of financial analysis is described, and financial estimates are reported. Finally, limitations of the analysis and further data needs are discussed.

REASONS FOR INTEREST IN FINANCIAL PERFORMANCE OF TIMBER SPECIES IN SMALLHOLDER PLANTINGS

Researchers in a series of projects in the Philippines funded by the Australian Centre for International Agricultural Research (ACIAR) have noted that there is strong demand for estimates of financial performance of smallholder forestry. Some of the reasons for this demand are listed in Table 1. For the smallholder with little disposable income, it is critical to know whether forestry is financially feasible and viable. A balance must be struck between diverting labour hours from food production to forestry. In this context, the cash flow pattern and time to harvest are critical issues.

While forestry has substantial social benefits, in addition to those benefits accruing to the grower, it is only if forestry is regarded as financially viable (including supply of timber for on-farm use) that smallholders are likely to be interested in growing trees. Positive financial estimates provide encouragement for smallholders to engage in forestry, both in community forestry programs and as individual growers. Availability of financial performance estimates is also relevant for industrial foresters, although their cost structures are likely to be somewhat different (Venn *et al.*, 2000b).

¹ In the Philippines, the term *tree farm* is sometimes used to represent smallholdings on which timber trees are grown, and sometimes just that area on smallholdings planted to trees (i.e. a plantation, woodlot or fenceline planting). The term is used in particular where timber trees are being mandatory for selling timber, even from a single tree.

² There is some uncertainty as to whether this species is native to the Philippines, or perhaps Indonesia; it is not found naturally in Australia.

In many regions, increased tree planting is a policy objective motivated in part by positive externalities (including environmental and social benefits). In this context, financial information is useful for extension agents in promoting tree planting. Such information also allows a comparison to be made of the likely returns from annual food crops and forestry. The availability of site-specific financial performance information for various species would assist the government in planning forestry development, and assist growers in choosing the most financially rewarding species for their location.

Table 1. Reasons for interest in financial performance of smallholder forestry

Stakeholder group	Information purposes
Smallholders	<p>To assist in making decisions about whether to grow timber trees and if so, what species to grow</p> <p>To compare the economics of annual food crops versus timber production</p> <p>To examine the projected cash flow stream in relation to financial feasibility of agroforestry and combining timber production and other household income earning activities</p> <p>To examine the labour requirements pattern in relation to other farm labour needs</p>
Policy-makers	<p>To assist extension services in the promotion of tree growing for financial and environmental benefits</p> <p>To support government policy on reforestation</p> <p>To assist economic comparisons of growing indigenous and exotic timber species</p> <p>To establish priorities between food and fibre crops, timber production and agroforestry</p> <p>To examine the viability of promoting indigenous species with excellent wood properties to promote furniture making</p>
Researchers	<p>To test the validity of previous and perhaps over-optimistic estimates of the financial viability of smallholder forestry</p>

THE BENEFITS OF GROWING INDIGENOUS TREE SPECIES

The choice between growing exotic and indigenous species raises a number of issues. A typical situation encountered in many countries is where indigenous species have excellent timber properties, superior to exotics, but have a longer rotation, more demanding silvicultural requirements and less readily available planting stock. Also,

there is typically little experience in growing indigenous species in plantations, and hence a lack of information about site and silvicultural requirements and growth performance.

From a forest policy perspective in the Philippines, there are a number of arguments for growing indigenous species:

- Outstanding timber properties, suitable for high-value uses – an issue of wood price and perhaps export earnings.
- Better suited to the climate and soil types – which should influence growth rates.
- Biodiversity conservation, particularly where the timber species are rare and endangered – the case of the ‘perceived important but endangered native tree species’ (Mangaoang 1998, p. 60).
- Better for wildlife habitat because they are part of the natural environment.
- More suitable for mixed-species plantings – particularly where the species combinations exist in native forests.
- Smallholders are more interested in growing indigenous species than exotics, hence government smallholder forestry programs may be more readily promoted and more cost-effective. Evidence suggesting this is the case is reported by Mangaoang (1998), Emtage (2004) and Gregorio *et al.* (2005b).
- Greater attractiveness from a landscape aesthetics viewpoint.
- Perceived problems with exotics, e.g. prone to windthrow, allelopathy and dry up rivers.

While these advantages of growing indigenous species may be real, it could also be that the long rotation period, lower wood quality in plantations than natural forests, and lack of market recognition or processing capacity for indigenous species, will lead to lower financial returns. In this context, it is useful to have estimates of the financial performance of a range of indigenous and exotic species on smallholder tree farms.

METHOD OF ESTIMATION OF FINANCIAL PERFORMANCE

For investments which incur substantial costs up-front and for which returns are not realised for a number of years into the future, financial evaluation is typically in the form of discounted cash flow (DCF) analysis. In the Philippines context, the term ‘cash flow’ must be viewed to include not only financial return to the grower (cash inflows) but also the value of forest products used on-farm (cash outflows avoided). For example, farm-grown timber may be used on the farm for house construction or repairs, prunings and thinnings may be used for fuelwood or organic fertilizer, and edible materials from dual-purpose trees (particularly fruit) may be consumed by the farm family. Such plantation outputs substitute for purchased products and are in effect a cost saving to the grower.

DCF analysis can generate a number of financial performance criteria, the most useful with respect to smallholder forestry being net present value (NPV) – a measure of overall net payback – and internal rate of return (IRR) – a measure of the rate of profitability. The land expectation value (LEV) – an alternative to NPV calculated on the basis of an infinite sequence of rotations – allows comparison of financial performance of species with differing rotation lengths, although for smallholders the usefulness of this criterion is limited by short planning horizons. Benefit/cost ratios are not particularly relevant to private (as distinct from social) investment analysis, while the payback period is normally defined by the rotation length. The annual cash flow pattern and year of peak deficit can be useful supplementary information.

The Financial Model and Assumptions of the Analysis

The Philippines Smallholder Forestry Financial Model (PSFFM) (Venn *et al.*, 2000b; Venn and Harrison, 2000; Harrison *et al.*, 2004) has been adapted for this analysis. Tree farm products are limited to what is likely to be saleable at present in Leyte Province, including lumber, poles and fuelwood. No differentiation of cost and yield is made with regard to size or configuration of planting, though tree growth and production costs would probably vary between situations, e.g. between woodlots, fenceline plantings and undercropping situations. All financial estimates are made on a spatial unit of one hectare. In that smallholders face very high interest rates when borrowing money, even in real terms, a real discount rate of 15% has been adopted.

The financial model (PSFFM):

- provides a set of default plantation or woodlot costs (excluding the price of land), the values of which can be modified by the user;
- allows for the discount rate to be entered by the user;
- accepts a number of yield and price parameters for up to three plantation products (e.g. fuelwood, poles, sawlogs);
- allows for sequential harvests of a given stand at nominated stand ages and adjusts subsequent yields according to the volume of timber removed;
- generates the performance indicators of NPV, LEV and IRR; and
- has provision for sensitivity analysis and breakeven analysis with respect to mean annual increment (MAI), rotation length and timber price.

Taxation implications have not been modelled; in most cases smallholders would pay little or no income tax.

Sources of Physical and Financial Data

Estimation of harvest age and yield for species which are not normally grown in plantations is a challenging task. This problem was faced in research into growth performance of rainforest timber species in North Queensland (e.g. Dayananda *et al.*, 2002), where a Delphi survey of foresters was used to obtain subjective opinions of growth parameters. It soon became apparent in the smallholder forestry research that

there is a critical lack of data on stand growth for the less frequently grown species, and in some cases even a lack of information about suitable uses of the timber (e.g. whether well suited for furniture, construction, poles or fuelwood).

ERDS (1998) estimated high profitability for timber production for a range of native and exotic timber species. Carandang *et al.* (2000) concluded that smallholder forestry could be profitable with internal rates of return (IRRs) of between 18% and 45% for popular species including gmelina, mangium, bagras and mahogany. Further evidence of financial viability has been provided by Venn *et al.* (2000b) and Aggangan (2000). A considerable amount of physical and financial performance information is available in the 'grey literature'.

Harvest ages for indigenous species are based on various unpublished estimates, and are subject to high uncertainty. The harvest ages for exotic species is consistent with current industrial forestry practice in the Philippines for these species. Assumptions are made about the clearfall harvest composition, in terms of percentages of lumber and fuelwood. Stand growth rates have been based on ERDS (1998) and unpublished Philippine forestry data (particularly from reports and dissertations from the University of the Philippines at Los Baños). MAIs are used because lack of data has impeded the development of growth curve and yield models, and some existing yield models appear overly optimistic. Yields (MAIs) are based on those obtained in industrial forestry, and may not be achievable where poor silviculture is employed by smallholders.

Various data sources were drawn upon in the financial analysis. The cost data draw mainly on that reported by Venn *et al.* (2000b). It has not been possible to identify cost differences associated with growing different tree species in the Philippines, hence generic costs have been used. The opportunity cost for on-farm labour has been set at about 50% of the minimum award wage rate, on the assumption that tree farm maintenance can be conducted in slack times for other farm work. Timber prices reflect stumpage prices currently received by tree farmers in Leyte.

SPECIES AND SILVICULTURAL REGIMES EXAMINED

The species selected for financial modelling are listed in Table 2, together with some general information about the tree and timber uses. Three exotic species are included which are commonly grown in industrial and smallholder plantings in the Philippines. Four indigenous species have been selected on the basis of relatively rapid growth, high value timber, and interest of smallholders.

Table 2. Selected species and their timber uses

Common name	Brief description	Timber uses
Mangium ^b <i>Acacia mangium</i>	Maximum dbh of 90 cm and height 30 m (typically 15 m)	Light-duty building (framing and weather-boarding), posts, charcoal, firewood
Gmelina ^b , Yemane <i>Gmelina arborea</i>	Maximum dbh of 50 cm and height 15-20 m. Very fast growing, can survive up to 30-40 years.	Carpentry, joinery, furniture and other household materials, posts, fixtures, musical instruments, boat decking, veneer, fuelwood
Mahogany ^b <i>Swietenia macrophylla</i>	Maximum dbh of 4.5 m and average height 30-40 m	Furniture
Bagras ^{a or b} <i>Eucalyptus deglupta</i>	Maximum dbh of 2 m and height of 60 m	Poles, construction wood, fuelwood, joists, studs, charcoal
Molave, Tugas ^a <i>Vitex parviflora</i>	Maximum dbh 1-1.5 m and height 25-30 m	Furniture-making, carvings and sculpture, carabao yokes, handles and novelties, railroad ties, ship building, wagon making, bridges, docks, firewood.
Narra ^a <i>Pterocarpus indicus</i>	A large tree 30 m tall or more; dbh of up to 2 m	Furniture, indoor construction, wood carvings.
White lauan ^a <i>Shorea contorta</i>	Maximum dbh of 1.8 m (typically 1 m) and height to 50 m (with clear trunk to 20 m)	General construction, mining timbers, boxes, crates, utensils, furniture, boat planking

a: indigenous species; b: exotic.

Harvest ages, clearfall harvest composition, timber price and mean annual increment (MAI) parameters are reported in Table 3. It is assumed that sawlogs are only harvested at clearfall, where trees will have diameters at breast height in excess of 30 to 40 cm, making them suitable for sawlogs and poles. Fuelwood and house construction poles are harvested in thinning operations earlier in the rotation, as well as at clearfall.

PLANTATION ESTABLISHMENT AND MANAGEMENT COSTS

A generic plantation cost model has been adopted, based on Venn *et al.* (2000a,b) but updated to 2004 prices³. Minor modifications are made for different species. As an illustration, the cost model for mangium is presented in Table 4⁴.

Table 3. Yield and price parameters of selected species

Common name	Product	Harvest age (yrs)	Composition of clearfall harvest (%)	Timber price (peso/m ³)	Mean annual increment (m ³ /ha/yr)
Mangium	Fuelwood	4,7,10	7	300	20
	Poles	7,10	28	2000	
	Sawlogs	10	65	2600	
Gmelina	Fuelwood	4, 7, 10	20	300	25
	Poles	–	0	–	
	Sawlogs	10	80	2500	
Mahogany	Fuelwood	4,15,25	7	300	10
	Poles	15,25	28	2000	
	Sawlogs	25	65	4000	
Bagras	Fuelwood	4,12,20	7	300	18
	Poles	12,20	28	2000	
	Sawlogs	20	65	3000	
Molave	Fuelwood	7,21,35	7	300	6
	Poles	21,35	28	2000	
	Sawlogs	35	65	4000	
Narra	Fuelwood	7,21,35	7	300	7
	Poles	21,35	28	2000	
	Sawlogs	35	65	5000	
White lauan	Fuelwood	7,21,35	7	300	10
	Poles	21,35	28	2000	
	Sawlogs	35	65	4500	

FINANCIAL PERFORMANCE ESTIMATES AND SENSITIVITY ANALYSIS

Based on a mean annual increment of 20 m³/year, the stumpage prices indicated in Table 3, and real discount rate of 15%, the NPV for mangium is PhP12,641/ha. A sensitivity analysis is presented in Table 5 for a range of sawlog stumpage prices and

³ \$US 1 = 50 Philippines pesos (PhP) approximately.

⁴ Costs are assumed to be incurred at the beginning of each year. Costs at the beginning of the first year (establishment costs) are not discounted.

MAIs. This suggests that at prices of less than PhP2000/m³ or yields of less than 20 m³/ha/year, the growing of mangium is unlikely to be financially viable.

Table 4. Plantation costs by year for mangium

<i>Irregular management costs</i>		
Expense	Year	Cost (PhP/ha)
Survey and mapping	1	0
Seedling production (many get for free, others might pay 3P/tree)	1	2240
Land preparation - brushing (burning)	1	1400
Land preparation - hole digging	1	1470
Planting	1	2310
Fertilisation 1	1	2170
Fertilisation 2	2	0
Weeding by hand	1	0
Weeding by hand	2	2625
Blanking	2	700
Form prune	2	0
Second prune	3	504
Thin 1	4	14000
Thin 2	7	42000
Cartage for 2nd thinning	7	25200
Roading and skid formation for 2nd thinning	7	16800
Sales commission and management for 2nd thinning	7	25200
Final clearfall logging and loading	10	54840
Cartage for clearfall volume	10	41130
Roading and skid formation for clearfall	10	4030
Sales commission and management for clearfall	10	12100
<i>Annual management costs</i>		
Supervision, management and administration overheads		200
Protection and maintenance of infrastructure		250

Table 5. NPV for mangium at various growth rates and stumpage prices

Stumpage price (PhP/m ³)	MAI (m ³ /ha/yr)				
	10	15	20	25	30
1500	-91,902	-69,970	-48,038	-26,106	-4,174
2000	-77,281	-48,038	-18,795	10,448	39,690
2500	-62,660	-26,106	10,448	47,001	83,555
3000	-48,038	-4,174	39,690	83,555	127,419
3500	-33,417	17,758	68,933	120,108	171,283

The standing volume time path – with assumed thinnings in years 4 and 7 and final clearfell harvest in year 10 – is presented as Figure 1.




Figure 1. Standing volume versus age for mangium plantation

The estimated NPVs, LEVs and IRRs (single rotation) are presented for all species in Table 6. Gmelina is found to be the most profitable species, followed by bagras and mangium, with mahogany marginally unprofitable. The native species fail to achieve a 15% real return on investment.

Table 6. Financial performance criteria for the selected species

Species	NPV(PhP/ha)	LEV(PhP/ha)	IRR (%)
Mangium	12,641	14,602	17%
Gmelina	30,782	35,556	31%
Mahogany	-15,222	-13,651	12%
Bagras	13,723	12,709	18%
Molave	-41,764	-36,591	(Negative)
Narra	-36,674	-32,132	7%
White lauan	-32,930	-28,851	7%

LIMITATIONS OF THE ANALYSIS AND FURTHER INFORMATION NEEDS

The financial analysis is subject to a number of limitations, including:

- Future timber prices will depend on a number of domestic and international factors associated with timber production and trade, and are subject to high uncertainty.
- No allowance is made for non-timber forest products.
- The analysis has been conducted from the viewpoint of private profitability, rather than social desirability, without any allowance for environmental and social benefits.
- Species mixtures are not included.
- The timber yields adopted for exotics may be optimistic for smallholder forestry.
- Plantation production relies on estimated harvest age and MAI, whereas better estimates might be obtained through stand yield models.
- Tree growth performance is not differentiated by site conditions, an average site being assumed.
- The analysis does not allow for the practice of some smallholders of harvesting only a few of the larger trees at any time, for on-farm use.

Notably, estimated financial performance is somewhat lower than other reported estimates. Hopefully, in the near future, information will be obtained for a greater range of species, cost and revenue estimates will be refined, and improved stand yield functions based on tree farm experience will become available for at least a few key species⁵. In the longer term, it is hoped that reliable growth and yield data will become available for mixed-species and agroforestry plantings.

⁵ Development of yield tables for the main commercial smallholder timber species on Leyte Island is currently being undertaken in ACIAR project ASEM/2003/052.

DISCUSSION

It would appear that in Leyte returns from growing indigenous species do not compare favourably with those from growing traditional exotics including gmelina, mahogany and mangium. The indigenous species in general have longer rotations than traditionally grown exotics and, given the high discount rate applicable in the Philippines, this leads to lower NPV and IRR levels even when timber prices are considerably higher.

The research reported here has been designed in part to promote critical discussion about financial performance of timber plantings, e.g. whether the available estimates are reasonable. The research has also identified information gaps which will help to prioritise future research. For example, it is clear that there is a lack of information about tree growth rates and harvest ages, particularly for indigenous species.

It may be that a situation exists where there is limited demand for high-quality native timbers for furniture production because the timber is in low supply and not available on a regular basis. Such a situation would reduce the price premium for very high quality native timbers relative to exotic species. An increase in production of high-quality native timber could lead to greater utilization and improved markets for tree growers. A further complication for Leyte tree farmers relates to small plantation areas and the need for buyers, particularly those from Cebu who are prepared to pay higher prices than local merchants, to assemble sufficiently large lots to justify transactions costs.

REFERENCES

- AGGANGAN, R.T. 2000. Tree Farming in the Philippines: Some issues and recommendations. In: *Socio-economic Evaluation of the Potential for Australian Tree Species in the Philippines* (S.R. Harrison and J.L. Herbohn, eds). ACIAR Monograph 75. ACIAR, Canberra. pp. 33-43.
- CARANDANG, M.G., CALDERON, M.M., CARANDANG, A.P. and N.T. IGLESIA. 2000. *Assessment of Status and Prospects: Private Land Tree Plantations in the Philippines*. Unpublished paper. Department of Environment and Natural Resources, Quezon City.
- DAYANANDA, D., IRONS, R., HARRISON, S.H., HERBOHN, J.L. and P. ROWLAND. 2002. *Capital Budgeting: Financial Appraisal of Investment Projects*. Cambridge University Press, Cambridge.
- EMTAGE, N.F. 2004. *An Investigation of the Social and Economic Factors Affecting the Development of Small-scale Forestry by Rural Households in Leyte, Philippines*. PhD thesis. School of Natural and Rural Systems Management. The University of Queensland Gatton, Australia.
- ERDS (ECOSYSTEM RESEARCH and DEVELOPMENT SERVICE). 1998. *Growth and Yield and Economic Analysis of Selected Forest Tree Species*. Techno-Transfer Series Bulletin No. 28. DENR, Davao City.

- GREGORIO, N.O., HERBOHN, J.L. and S.H. HARRISON. 2005a. The potential role of nurseries in improving access to high quality planting stock and promoting appropriate silvicultural systems to improve the productivity of smallholder tree farms in Leyte, the Philippines. In: *Redevelopment of the Timber Industry following Extensive Land Clearing: Proceedings of the End-of-Project Workshop*. Ormoc City, Leyte. 19-21 August 2004. pp. 269-278.
- GREGORIO, N.O. HERBOHN, J.L. and S.R. HARRISON. 2005b. Small-scale forestry development in Leyte, the Philippines: The central role of nurseries. In: *Redevelopment of the Timber Industry following Extensive Land Clearing: Proceedings of the End-of-Project Workshop*. Ormoc City, Leyte. 19-21 August 2004. pp. 243-255.
- HARRISON, S.H., EMTAGE, N.F. HERBOHN, J.L. and T. VENN. 2004. *Designing, Developing and Testing Financial Models for Non-industrial Private Forestry*. EcoMod04. Sorbonne University, Paris.
- HARRISON, S.H. and J.L. HERBOHN. 2003. Strategies for forest industry development in Leyte. *Asia Pacific Journal on Environment and Development*. **1**(1): 13-27.
- MANGAOANG, E.O. 1998. Local management and use of timber and non-timber forest products in selected villages in Eastern Visayas, Philippines. In: *Foresters, farmers and biodiversity: new issues for forestry curriculum* (A. Lawrence and E. Mangaoang, eds). Proceedings of the National Workshop on Local Knowledge and Biodiversity Conservation in Forestry Practice and Education. ViSCA, Baybay. pp. 54-60.
- MANGAOANG, E.O. and A.E. PASA. 2003. Preferred native tree species for smallholder forestry in Leyte. *Annals of Tropical Research*. **25**(1): 25-30.
- PATINDOL, T.A. 1998. Local Knowledge on Native Tree Species in Leyte, Philippines. In: *Foresters, farmers and biodiversity: new issues for forestry curriculum* (A. Lawrence. and E.O. Mangaoang, eds). Proceedings of the National Workshop on Local Knowledge and Biodiversity Conservation in Forestry Practice and Education. ViSCA, Baybay. pp. 41-47.
- VENN, T.J., BEARD, R.M. and S.R. HARRISON. 2000a. Modelling stand yield of non-traditional timber species under sparse data. In: *Socio-economic Evaluation of the Potential for Australian Tree Species in the Philippines* (S.R. Harrison and J.L. Herbohn, eds). ACIAR Monograph 75. ACIAR, Canberra. pp. 55-77.
- VENN, T.J. and S.R. HARRISON. 2000. Stand yield models for Australian eucalypt and acacia plantations in the Philippines. In: *Socio-economic Evaluation of the Potential for Australian Tree Species in the Philippines* (S.R. Harrison and J.L. Herbohn, eds). ACIAR Monograph 75. ACIAR, Canberra. pp. 79-92.
- VENN, T.J., HERBOHN, J.L. and S.R. HARRISON. 2000b. Relative Financial Performance of Australian and Traditional Timber Species in the Philippines. In: *Socio-economic Evaluation of the Potential for Australian Tree Species in the Philippines* (S.R. Harrison and J.L. Herbohn, eds). ACIAR Monograph 75. ACIAR, Canberra. pp. 93-110.

